


18" PS ENGINEERING CALIPER TOOL

SPECIFICATION SHEET



1 – Cup , 2 – Cup Spacers , 3 – Flange , 4 – Pig Body , 5 – SC Spider, 6 – Recorder, 7 – Odometer, 8 – Pig Locator

<u>DATA SETS</u>			
Sensing Fingers wiht Double		Wheels 18	
Gyros		1	
Odometer Channels		2	
OPERATIONAL			
Products		All Liquids and Gases	
Max. Pressure		120 bar (1740.45 psig)	
Temp. Range		-10° to 80° C	
Recommended Tool Speed*		0.1 to 3 m/s	
Allowable Tool Speed		0.1 to 10 m/s	
Minumum Back Pressure		3 bar (44 psig)	
DIMENSIONS			
Length**	approx. 1100 mm (43.30 in)		
Weight	approx. 80 kg (176.36 lbs)		

The below mentioned Featurens/Indications will be loceted (longitudinally) and identified the PS Engineering Caliper Tool.

- T-Pieces
- Valves
- Bends
- Girth Welds
- Dents
- Ovality
- Internal Diameter Changes

Tool Attributes		
Battery Capacity	700 hrs	
Active Range (Max. Distance)	600 km	
Odometer Resolution	47 mm	
Modules	1	
PIPELINE GEOMETRY REQUIREMENTS		
Minimum Local Bore	25% of pipe O.D.	
Min. Bend Radius	1.5D for 90° Bend	
Min. ID in Straight Pipe	300 mm	
Accuracy of Measurement		
Accuracy of Distance information	≤ 0.2mm from ref. Girth Weld	
	or 0.1% of total distance	
Accuracy of Internal Dia. Changes	+/- 0.2%	
Accuracy of Defect Measurement	+/- 0.2%	
Axial Sampling	47 mm	

All given percentage values are related to the outer diameter (OD). The above mentioned accuracies depend on acceptable run conditions:

- Constant speed during inspection
- Clean pipe
- Pipebook given to PS Engineering evaluation department

When driving the tool with compressed air, the pipeline must have a back pressure of at least 5 bars / 0,5 MPA (depending on condition of the pipeline) * At tool speeds above 3 m/s, the girth weld indications become inaccurate due to dynamic overreaction of the sensing fingers. For best results we recommend tool speeds between 0.1 and 1.5 m/s.

** For shorter lengths contact PS Engineering

At tool speeds above 3 m/s, the girth weld indications become inaccurate due to dynamic overreaction of the sensing fingers. For best results we recommend tool speeds between 0.1 and 1.5 m/s.

PS Engineering reserves the right to introduce technical changes and modifications without prior notice.